

FLIGHT SUMMARY REPORT

Flight #: 90-052
Date: 27 February 1990
Sensor Package: Wild-Heerbrug RC-10
Area(s) Covered: Sierra Nevada Mountains

Investigator(s): Functional Check Flight
Flight Request: 90X001

Aircraft #: 709
Julian Date: 058

SENSOR DATA

Accession #: 03999
Sensor ID #: 036
Sensor Type: RC-10
Focal Length: 6"
153.19 mm
Film Type: High Definition
Aerochrome IR
SO-131
Filtration: cc .20B
Spectral Band: 510-900 nm
f Stop: 4
Shutter Speed: 1/75
of Frames: 84
% Overlap: 60
Quality: Excellent
Remarks: -----

Airborne Science and Applications Program

The Airborne Science and Applications Program (ASAP) is supported by three ER-2 high altitude Earth Resources Survey aircraft. These aircraft are operated by the High Altitude Missions Branch at NASA-Ames Research Center, Moffett Field, California. The ER-2s are used as readily deployable high altitude sensor platforms to collect remote sensing and *in situ* data on earth resources, celestial phenomena, atmospheric dynamics, and oceanic processes. Additionally, these aircraft are used for electronic sensor research and development and satellite investigative support.

The ER-2s are flown from various deployment sites in support of scientific research sponsored by NASA and other federal, state, university, and industry investigators. Data are collected from deployment sites in Kansas, Texas, Virginia, Florida, and Alaska. Cooperative international scientific projects have deployed the aircraft to sites in Great Britain, Australia, Chile, and Norway.

Photographic and digital imaging sensors are flown aboard the ER-2s in support of research objectives defined by the sponsoring investigators. High resolution mapping cameras and digital multispectral imaging sensors are utilized in a variety of configurations in the ER-2s' four pressurized experiment compartments.

Camera Systems

Various camera systems and films are used for photographic data collection. Film types include high definition color infrared, natural color, and black and white emulsions. Available photographic systems are as follows:


- Wild-Heerbrug RC-10 metric mapping camera
 - 9 x 9 inch film format
 - 6 inch focal length lens provides area coverage of 16 x 16 nautical miles from 65,000 feet
 - 12 inch focal length lens provides area coverage of 8 x 8 nautical miles from 65,000 feet
- Hycon HR-732 large scale mapping camera
 - 9 x 18 inch film format
 - 24 inch focal length lens provides area coverage of 4 x 8 nautical miles from 65,000 feet
- IRIS II Panoramic camera
 - 4.5 x 34.7 inch film format
 - 24 inch focal length lens
 - 90 degree field of view provides area coverage of 2 x 21.4 nautical miles from 65,000 feet

CAMERA FLIGHT LINE DATA
FLIGHT NO. 90-052

Accession # 03999

Sensor # 036

Check Points	Frame Numbers	Time (GMT-hr, min, sec)		Altitude, MSL feet/meters	Cloud Cover/Remarks
		START	END		
A - B	2106-2123	19:36:56	19:44:53	65000/19800	10-30% cumulus
C - D	2124-2155	19:47:25	20:01:28	"	10-40% cumulus
E - F	2156-2189	20:04:25	20:19:18	"	20-40% cumulus; film tracked into chain drive on processor (frames 2166-2176); stepwedge overprinted (frame 2187-2188)




FLIGHT 90-052

27 February 1990

A/C 709

TMS / TIMS / RC-10

TMS Functional Check Flight



FLIGHT 90-052 27 February 1990 A/C 709 RC-10 90-131 Accession # 03999 JNC 43