

FLIGHT SUMMARY REPORT

Flight #: 90-093
Date: 19 June 1990
Sensor Package: Wild-Heerbrug RC-10
Area(s) Covered: Oregon

Investigator(s): Functional Check Flight
Flight Request: 90X001

Aircraft #: 706
Julian Date: 170

SENSOR DATA

Accession #: 04039
Sensor ID #: 026
Sensor Type: RC-10
Focal Length: 12"
304.97 mm
Film Type: High Definition
Aerochrome IR
SO-131
Filtration: cc.30B
Spectral Band: 510-900 nm
f Stop: 5.6
Shutter Speed: 1/200
of Frames: 25
% Overlap: 60
Quality: Excellent
Remarks:

Airborne Science and Applications Program

The Airborne Science and Applications Program (ASAP) is supported by three ER-2 high altitude Earth Resources Survey aircraft. These aircraft are operated by the High Altitude Missions Branch at NASA-Ames Research Center, Moffett Field, California. The ER-2s are used as readily deployable high altitude sensor platforms to collect remote sensing and *in situ* data on earth resources, celestial phenomena, atmospheric dynamics, and oceanic processes. Additionally, these aircraft are used for electronic sensor research and development and satellite investigative support.

The ER-2s are flown from various deployment sites in support of scientific research sponsored by NASA and other federal, state, university, and industry investigators. Data are collected from deployment sites in Kansas, Texas, Virginia, Florida, and Alaska. Cooperative international scientific projects have deployed the aircraft to sites in Great Britain, Australia, Chile, and Norway.

Photographic and digital imaging sensors are flown aboard the ER-2s in support of research objectives defined by the sponsoring investigators. High resolution mapping cameras and digital multispectral imaging sensors are utilized in a variety of configurations in the ER-2s' four pressurized experiment compartments.

Camera Systems

Various camera systems and films are used for photographic data collection. Film types include high definition color infrared, natural color, and black and white emulsions. Available photographic systems are as follows:


- Wild-Heerbrug RC-10 metric mapping camera
 - 9 x 9 inch film format
 - 6 inch focal length lens provides area coverage of 16 x 16 nautical miles from 65,000 feet
 - 12 inch focal length lens provides area coverage of 8 x 8 nautical miles from 65,000 feet
- Hycon HR-732 large scale mapping camera
 - 9 x 18 inch film format
 - 24 inch focal length lens provides area coverage of 4 x 8 nautical miles from 65,000 feet
- IRIS II Panoramic camera
 - 4.5 x 34.7 inch film format
 - 24 inch focal length lens
 - 90 degree field of view provides area coverage of 2 x 21.4 nautical miles from 65,000 feet

**CAMERA FLIGHT LINE DATA
FLIGHT NO. 90-093**

Accession # 04039

Sensor # 026

Check Points	Frame Numbers	Time (GMT-hr, min, sec)		Altitude, MSL feet/meters	Cloud Cover/Remarks
		START	END		
A	5869	19:29:41	19:29:41	65000/19800	Clearing frame; Three Fingered Jack Mt. 20% cumulus
B - C	5870-5876	19:37:51	19:40:40	"	Clear
D - E	5877-5881	19:47:28	19:49:21	"	Clear
F - G	5882-5887	19:59:03	20:01:24	"	10% minor strato cumulus (frames 5884-5886)
H - I	5888-5893	20:16:33	20:18:56	"	10-30% cumulus (frames 5889-5893)




FLIGHT 90-093

19 June 1990

A/C 706

TMS / RC-10

Oregon



ONC F-16

Accession # 04039

90-131

RC-10

19 June 1990

FLIGHT 90-093