

FLIGHT SUMMARY REPORT

Flight #: 91-003
Date: 05 October 1990
Sensor Package: A-4 Configuration
Wild-Heerbrug RC-10
Area(s) Covered: West Slope Sierra Nevada Mountains

Investigator(s): Weber, USDA Forest Service

Aircraft #: 706

Flight Request: 90R258

Julian Date: 278

SENSOR DATA

Accession #:	04138	04139	04140
Sensor ID #:	039	076	035
Sensor Type:	HR-732	RC-10	RC-10
Focal Length:	24" 604.9 mm	12" 304.89 mm	6" 153.46 mm
Film Type:	High Definition Aerochrome IR SO-131	High Definition Aerochrome IR SO-131	High Definition Aerochrome IR SO-131
Filtration:	cc.20B	cc.10B	cc.10B
Spectral Band:	510-900 nm	510-900 nm	510-900 nm
f Stop:	8	4	4
Shutter Speed:	1/75	1/125	1/75
# of Frames:	47	6	14
% Overlap:	60	60	60
Quality:	Poor	Excellent	Excellent
Remarks:	Vacuum failure		

Airborne Science and Applications Program

The Airborne Science and Applications Program (ASAP) is supported by three ER-2 high altitude Earth Resources Survey aircraft. These aircraft are operated by the High Altitude Missions Branch at NASA-Ames Research Center, Moffett Field, California. The ER-2s are used as readily deployable high altitude sensor platforms to collect remote sensing and *in situ* data on earth resources, celestial phenomena, atmospheric dynamics, and oceanic processes. Additionally, these aircraft are used for electronic sensor research and development and satellite investigative support.

The ER-2s are flown from various deployment sites in support of scientific research sponsored by NASA and other federal, state, university, and industry investigators. Data are collected from deployment sites in Kansas, Texas, Virginia, Florida, and Alaska. Cooperative international scientific projects have deployed the aircraft to sites in Great Britain, Australia, Chile, and Norway.

Photographic and digital imaging sensors are flown aboard the ER-2s in support of research objectives defined by the sponsoring investigators. High resolution mapping cameras and digital multispectral imaging sensors are utilized in a variety of configurations in the ER-2s' four pressurized experiment compartments. The following provides descriptions of the camera systems flown onboard the ER-2s.

Camera Systems

Various camera systems and films are used for photographic data collection. Film types include high definition color infrared, natural color, and black and white emulsions. Available photographic systems are as follows:

- Wild-Heerbrug RC-10 metric mapping camera
 - 9 x 9 inch film format
 - 6 inch focal length lens provides area coverage of 16 x 16 nautical miles from 65,000 feet
 - 12 inch focal length lens provides area coverage of 8 x 8 nautical miles from 65,000 feet
- Hycon HR-732 large scale mapping camera
 - 9 x 18 inch film format
 - 24 inch focal length lens provides area coverage of 4 x 8 nautical miles from 65,000 feet
- IRIS II Panoramic camera
 - 4.5 x 34.7 inch film format
 - 24 inch focal length lens
 - 90 degree field of view provides area coverage of 2 x 21.4 nautical miles from 65,000 feet

The U.S. Geological Survey's EROS Data Center at Sioux Falls, South Dakota serves as the archive and product distribution facility for NASA-Ames aircraft acquired photographic and digital imagery. For information regarding photography and digital data (including areas of coverage, products, and product costs) contact EROS Data Center, Customer Services, Sioux Falls, South Dakota 57198 (Telephone: (605) 594-6151).

Additional information regarding ER-2 acquired photographic and digital data is available through the Aircraft Data Facility at Ames Research Center. For specific information regarding flight documentation, sensor parameters, and areas of coverage contact the Aircraft Data Facility, NASA-Ames Research Center, Mail Stop 240-6, Moffett Field, California 94035-1000 (Telephone: (415) 604-6252).

**CAMERA FLIGHT LINE DATA
FLIGHT NO. 91-003**

Accession # 04138

Sensor # 039

Check Points	Frame Numbers	Time (GMT-hr, min, sec)		Altitude, MSL feet/meters	Cloud Cover/Remarks
		START	END		
A - B	0001-0011	18:58:14	19:00:28	65000/19800	Minor cirrus (frames 0001-0004)
C - D	0012-0047	19:10:17	19:18:55	"	Clear

**CAMERA FLIGHT LINE DATA
FLIGHT NO. 91-003**

Accession # 04139

Sensor # 076


Check Points	Frame Numbers	Time (GMT-hr, min, sec)		Altitude, MSL feet/meters	Cloud Cover/Remarks
		START	END		
A - B	3992-3997	18:58:21	19:00:45	65000/19800	Minor cirrus (frames 3992-3993)

**CAMERA FLIGHT LINE DATA
FLIGHT NO. 91-003**


Accession # 04140

Sensor # 035

Check Points	Frame Numbers	Time (GMT-hr, min, sec)		Altitude, MSL feet/meters	Cloud Cover/Remarks
		START	END		
A - B	7559-7562	18:58:14	19:00:21	65000/19800	Thin cirrus (frames 7559-7562)
C - D	7563-7572	19:10:16	19:18:50	"	Clear



FLIGHT 91-003 5 October 1990 A/C 706 HR-732 Sierra Nevada Mtns



FLIGHT 93-993 5 October 1990 A/C 706 A-4 Configuration / FC-10 Accession # 04150 ONC 6-18